



PERFORMANCE DATA



PERFORMANCE DATA

TYPE	READ OUTPUT (HP)	RPM	AT 460 VOLTS		EFFICIENCY (%)	POWER FACTOR	NEMA CODE LETTER	DOWNTHRUST		DEGREE OF PROTECTION
			FULL LOAD CURRENT (A)	LOCKED ROTOR (A)				STANDARD (LB)	EXTRA (LB)	
VHS254TP-4-015P	15	1770	17.4	105	93.0	85.5	G	3610		IP23 (WP-1)
VHS256TP-4-020P	20	1780	23.3	149.8	93.0	85.3	G	3610		
VHS284TP-4-025P	25	1780	28.7	172.2	93.6	85.5	G	3601		
VHS286TP-4-030P	30	1780	34.1	204.6	94.1	86.5	G	3610		
VHS324TP-4-040P	40	1780	45.1	270.6	94.1	86.7	G	5715		
VHS326TP-4-050P	50	1780	56.6	339.6	94.5	87	G	5715		
VHS364TP-4-060P	60	1782	66.0	396	95.0	86.9	G	5715		
VHS365TP-4-075P	75	1782	85.2	511.2	95.0	85.5	G	5715		
VHS404TP-4-100P	100	1785	114.1	684.6	95.4	85.5	G	6745		
VHS405TP-4-125P	125	1785	142	852	95.4	86.5	G	6745		
VHS444TP-4-150P	150	1785	166.4	998.4	95.8	86.5	G	9800	17200	
VHS445TP-4-200P	200	1785	223	1338	95.8	87.8	G	9800	17200	
VHS445TP-4-250P	250	1785	280	1680	95.8	87.7	G	9800	17200	
VHS5804P-4-300P	300	1787	339	2043	96.2	86	G	20000		
VHS5804P-4-350P	350	1787	389	2334	96.2	89.4	G	20000		
VHS5806P-4-400P	400	1787	430	2580	96.2	86	G	20000		
VHS5806P-4-450P	450	1787	485	2910	96.2	90.2	G	20000		
VHS5806P-4-500P	500	1787	538	3228	96.2	90.9	G	20000		
VHS5809P-4-600P	600	1787	650	3966	96.2	89.4	G	20000		



BMR USA LLC LOCATIONS

CORPORATE OFFICE:
scottsdale, AZ 85254

SALES OFFICE:
5803 E Kings Ave.
Scottsdale, AZ 85254
PH-480-390-4980

ENGINEERING SUPPORT:
Mission Viejo, CA

STOCKING LOCATIONS:
Phoenix, AZ
Hayward, CA
Fresno, CA
Bakersfield, CA
Ada, OK

